

Cyrus Audio, June 2025

Warranty 2 years, Prices in CHF, VAT included, product and price changes reserved, replaces all previous price lists

Summer Promotion '25 Now until 31.08.2025 and on following items

40 Series

40 Combo	40 STREAM + 40 AMP + 40 PSU	CHF -990 off regular price	8490
----------	-----------------------------	----------------------------	------

XR Series

Stream-XR	CHF -500 off regular price	2490
i9-XR	CHF -1400 off regular price	2490
Pre-XR	CHF -1900 off regular price	2990
Power-XR	CHF -1200 off regular price	2190
PSU-XR	CHF -500 off regular price	2190

Classic Series

Classic STREAM	CHF -800 off regular price	1590
CDi	CHF -400 off regular price	1390
Classic AMP	CHF -600 off regular price	1790
Phono Signature	CHF -800 off regular price	1390
Classic PRE	CHF -1200 off regular price	1790
Classic POWER	CHF -800 off regular price	1790
PSX-R2	CHF -200 off regular price	990

System Racks (not suitable for 40 Series)

Hark III	CHF -200 off regular price	690
Hark III 2 shelves pack	CHF -30 off regular price	119
TriArbour, maple wood	CHF -400 off regular price	390
TriArbour, oak wood	CHF -400 off regular price	390

NEW: 40 series	Available in black anodised aluminium only	
NEW: 40 STREAM	<p>Streaming Music Player</p> <ul style="list-style-type: none"> - 32bit ultimate DAC topology with eight digital filter alignment options - BluOs operating system - Amazon Music, Deezer, Idagio, Napster, Qobuz, Spotify, Tidal streaming services - Tunein internet radio - ROON ready - AirPlay2 - supported formats: FLAC, ALAC, WAV, AIFF, MQA, MPEG-4_SLS, MP3, AAC, WMA, WMA-L, OGG - volume control - 40 PSU upgradable / connection - 1x Coax RCA digital in, 1x TOS digital in (24/192) - 1x Coax RCA digital out, 1x TOS digital out (24/192) - 2x RCA analog out - toughened glass front panel with hi-res 3.5" full colour TFT display - hidden until-lit capacitive touch controls - 40 remote control - 5 year warranty 	3290
NEW: 40 CD	<p>CD-Player</p> <ul style="list-style-type: none"> - 32bit ultimate DAC topology with eight digital filter alignment options - independent and multiregulated powersupplies for digital and analog section - 40 PSU upgradable / connection - 2x RCA analog out, 1x SPDIF RCA out, 1x TOS out - 1x RJ45 firmware upgrade port - toughened glass front panel with hi-res 3.5" full colour TFT display - hidden until-lit capacitive touch controls - 40 remote control - 5 year warranty 	3290
NEW: 40 AMP	<p>Integrated Amplifier WITH DAC and PHONO MM input</p> <ul style="list-style-type: none"> - low noise MM phono stage featuring low background noise and high dynamic range - 32bit ultimate DAC topology with eight digital filter alignment options - over specified power supply - input sensitivity and naming for each input variable - 2x 100w @ 6ohms, 2x 113w @ 6ohms with 40 PSU - 40 PSU upgradable / connection - 1x RCA phono MM in, 4x RCA line in - 2x Coax RCA in, 1x TOS in (24/192), 1x async USB in (32/384, DSD256/DOP128), 1 x HDMI eARC in - 1x RCA analog pre out, 1x RCA fixed analog out - 1x 3.5mm headphone analog output, 1x banana speaker out L/R - 1x RJ45 firmware upgrade port - toughened glass front panel with hi-res 5" full colour TFT display - hidden until-lit capacitive touch controls - 40 remote control - 5 year warranty 	4290
NEW: 40 PPA	<p>Phono preamplifier</p> <ul style="list-style-type: none"> - switchable inputs for 4 turntables, each input individually configurable for MM or MC cartridges - gain, resistance and capacitance individually configurable for each input - settings are saved into memory, settings and memory function remote controllable - passive RIAA filtering with very high performance metallized polyester capacitors - Warp filter to reduce bass unit excursion on warped records - 40 PSU upgradable / connection - 4x RCA line input, 4x ground connector - 1x RCA, 1x XLR analog out - 1x RJ45 firmware upgrade port - toughened glass front panel with hi-res 5" full colour TFT display - hidden until-lit capacitive touch controls - 40 remote control - 5 year warranty 	2290
NEW: 40 PSU	<p>Intelligent External Power Supply</p> <ul style="list-style-type: none"> - houses five indepedent power supplies - minimises electrical noise with help of fifteen separate transformer windings, ground isolated regulation circuitry, separate output power and ground returns in the connecting cable - intelligently automatically adjusts to connected 40 component meeting respective requirements - upgrades the following products: 40 Stream, 40 CD, 40 Amp - 1x usb mini firmware upgrade port - toughened glass front panel - 5 year warranty 	2690
NEW: 40 Streaming Pack	40 Stream + 40 Amp (for specs see below)	6790

XR series	Available in phantom satin black only	
Stream-XR	<p>Streaming Music Player</p> <ul style="list-style-type: none"> - 32bit 2nd Gen QXR DAC topology - BluOs operating system - Amazon Music, Deezer, Idagio, Napster, Qobuz, Spotify, Tidal streaming services - Tunein internet radio - ROON ready - AirPlay2 - supported formats: FLAC, ALAC, WAV, AIFF, MQA, MPEG-4_SLS, MP3, AAC, WMA, WMA-L, OGG - volume control - PSU-XR upgradable / connection - 1x Coax RCA digital in, 1x TOS digital in (24/192) - 1x Coax RCA digital out, 1x TOS digital out (24/192) - 1x RCA analog out 	2990
i9-XR	<p>Integrated amplifier WITH DAC and PHONO MM input</p> <ul style="list-style-type: none"> - preamp section using Pre-XR technology featuring a new high-performance gain stage - 32bit 2nd Gen QXR dac topology with seven digital filter alignment options - over specified power supply - input sensitivity and naming for each input variable - 2x 91w @ 6ohms - PSU-XR upgradable / connection - 1x RCA phono MM in, 4x RCA line in - 2x Coax RCA in, 2x TOS in (24/192), 1x async USB in (32/384, DSD512/DOP128) - 1x RCA analog pre out, 1x RCA fixed analog out - 1x 3.5mm headphone analog output, 2x BFA (hollow) banana speaker out L/R - 1x usb mini firmware upgrade port, includes iR14 remote control 	3890
Pre-XR	<p>Preamplifier WITH DAC and PHONO MM input</p> <ul style="list-style-type: none"> - New Pre-XR technology featuring a new high-performance gain stage - 32bit 2nd Gen QXR dac topology with seven digital filter alignment options - over specified power supply - input sensitivity and naming for each input variable - PSU-XR upgradable / connection - 1x RCA phono MM in, 4x RCA line in - 2x Coax RCA in, 2x TOS in (24/192), 1x async USB in (32/384, DSD512/DOP128) - 1x RCA, 1x XLR analog pre out, 1x RCA fixed analog out - 1x 3.5mm headphone analog output - 1x usb mini firmware upgrade port, includes iR14 remote control 	4890
Power-XR	<p>Stereo power amplifier</p> <ul style="list-style-type: none"> - wide bandwidth design for flat frequency response and minimal phase shift through audio band - generous, over-specified power supply - 2x 110w @ 6ohms - > 100kHz frequency response (-3dB) - <0.002% THD+N (6ohms, 1kHz, 2/3 power) - PSU-XR upgradable / connection - 1x RCA, 1x XLR, 1x RCA chain out - 1x banana speaker output L/R - 12V trigger input - 1x usb mini firmware upgrade port 	3390
PSU-XR	<p>Intelligent External Power Supply</p> <ul style="list-style-type: none"> - houses five independent power supplies - minimises electrical noise with help of fifteen separate transformer windings, ground isolated regulation circuitry, separate output power and ground returns in the connecting cable - intelligently automatically adjusts to connected XR component meeting respective requirements - upgrades the following products: CDi-XR, Cdt-XR, i9-XR, Stream-XR, Pre-XR 	2690

CLASSIC series	Available in brushed black only	
Classic STREAM	<p>High-Performance Streaming Music Player</p> <ul style="list-style-type: none"> - 32bit 2nd Gen QXR DAC topology - BluOs operating system - Amazon Music, Deezer, Idagio, Napster, Qobuz, Spotify, Tidal streaming services - Tunein internet radio - ROON ready - AirPlay2 - supported formats: FLAC, ALAC, WAV, AIFF, MQA, MPEG-4_SLS, MP3, AAC, WMA, WMA-L, OGG - volume control - PSX-R2 upgradable / connection - 1x Coax RCA digital out, 1x TOS digital out (24/192) - 1x RCA analog out 	2390
CDi	<p>CD-Player</p> <ul style="list-style-type: none"> - Cyrus Servo mechanism - 32bit DAC with upsampling - independent and multiregulated powersupplies for digital and analog section - PSX-R2 upgradable / connection - 1x SPDIF RCA out, 1x TOS out, 2x RCA analog out - includes iR14 remote control 	1790
Phono Signature	<p>Signature phono preamplifier</p> <ul style="list-style-type: none"> - switchable inputs for 4 turntables, each input individually configurable for MM or MC cartridges - gain, resistance and capacitance individually configurable for each input - settings are saved into memory, settings and memory function remote controllable - passive RIAA filtering with very high performance metallized polyester capacitors - Warp filter to reduce bass unit excursion on warped records - PSX-R2 upgradable / connection - 4x RCA line input, 4x ground connector - 1x RCA, 1x XLR analog out - includes iR14 remote control 	2190
Classic AMP	<p>Integrated amplifier WITH DAC and PHONO MM input</p> <ul style="list-style-type: none"> - wide bandwidth design for flat frequency response and minimal phase shift through audio band; preamp section with new precision gain control for volume and analogue input selection via relays - bespoke 32bit QXR dac card - input sensitivity and naming for each input variable - 2x 91w @ 6ohms - PSX-R upgradable / connection - 1x RCA phono MM in, 4x RCA line in - 2x Coax RCA in, 2x TOS in (24/192) - 1x RCA analog pre out, 1x RCA fixed analog out - 1x 3.5mm headphone analog output, 1x banana speaker out L/R - 1x usb mini firmware upgrade port, includes iR14 remote control 	2390
Classic PRE	<p>Preamplifier WITH DAC and PHONO MM input</p> <ul style="list-style-type: none"> - wide bandwidth design for flat frequency response and minimal phase shift through audio band; new precision gain control for volume and analogue input selection via relays - bespoke 32bit QXR dac card - input sensitivity and naming for each input variable - PSX-R upgradable / connection - 1x RCA phono MM in, 4x RCA line in - 2x Coax RCA in, 2x TOS in (24/192) - 1x RCA, 1x XLR analog pre out, 1x RCA fixed analog out - 1x 3.5mm headphone analog output - 1x usb mini firmware upgrade port, includes iR14 remote control 	2990
Classic POWER	<p>Stereo power amplifier</p> <ul style="list-style-type: none"> - wide bandwidth design for flat frequency response and minimal phase shift through audio band - generous, over-specified power supply - 2x 110w @ 6ohms - > 48kHz frequency response (-3dB) - <0.002% THD+N (6ohms, 1kHz, 2/3 power) - PSX-R2 upgradable / connection - 1x RCA, 1x XLR, 1x RCA chain out - 1x banana speaker output L/R - 12V trigger input - 1x usb mini firmware upgrade port 	2590
PSX-R2	<p>Highly enhanced high performance external power supply</p> <ul style="list-style-type: none"> - fully regulated 300W DC, connectivity adjusting automatically to connected Cyrus component - upgrades the following products: CDi, Classic STREAM, Classic AMP, Classic PRE, X Power 	1190

TURNTABLE	Available in black only	
NEW: TTP	Turntable - solid single billet aluminium damped chassis - high precision self-lubricating bearing - solid single billet aluminium platter - adjustable / replaceable feet - Rega RB330 lightweight tonearm with optimised resonance control and near frictionless movement - integrated DC synchronous motor - custom-designed digital control circuit for excellent speed stability - electronic speed control for 33 1/3 and 45 RPM - PSX-R2 upgradable for highest possible speed stability - without cartridge - size (W x D x H) 438 x 395 x 75mm - weight 24kg	4290
NEW: TTP cover	Optional dust cover for TTP turntable	390
Upgrades / Accessories		
QXR DAC card	Upsampling and oversampling 32/768 DAC card upgrade	690
iR14	Remote control	79
RACK		
Hark III	System rack including 4 fully adjustable shelves (one unit per shelf); can take up to 8 shelves; Cyruthane Isopads; cables hidden in column	890
Hark III 2 shelves pack	2 additional shelves for Hark III	149
TriArbour, oak wood	System rack with five shelves (one unit per shelf)	790
TriArbour, maple wood	System rack with five shelves (one unit per shelf)	790